

Index

• Symbols and Numerics •

& (ampersand), 117
%LET statement, 329
* (multiplier symbol), 58
%WINDOW statement, 334
3-D effect for graph, 152

• A •

Access (Microsoft)
 data management, 82–83
 importing database from, with ODBC, 89–91
 importing database from, with OLE DB, 92
accessibility, 10
accessing. *See also* accessing data
 information map, 346–347
 OLAP cube, 246
 stored processes using add-in, 276–277
accessing data
 from add-in, 265–266
 data set, opening, 25–27
 diagnosing issues in, 305–311
 Exchange E-Mail, 92
 filtering data, 27–32
 importing Excel workbook, 84–87
 with OLE DB and ODBC, 88–92
 from other documents, 92–93
 overview of, 24–25, 81
 server-based, 93–98
ActiveX graph format, 203
ad hoc analysis, 270–275
Add From Project dialog box, 52–53
Add Measure wizard, 257
Add New Parameter dialog box, 114, 115, 330
Add New Style dialog box, 205–206
Add Results window, 230
Add Tables button (Filter and Query task), 51, 107–108
Add-In for Microsoft Office
 accessing and managing data, 266–270
 ad hoc analysis, 270–275
 information map, 346–347
 integration features, 265–266
 Microsoft Excel example, 262–264
 Office versions, 265
 Option dialog box, 264–265
 overview of, 15–16, 261–262
 refreshing results, 279–281
 sharing work, 281–282
 star schema, 318
 stored processes, 275–279
Adobe Acrobat Reader, 132, 293
Adobe Acrobat report, 131–133
Advanced Expression Editor window
 with calculation partially complete, 58
 with completed calculation, 59
 computed columns, creating, 111
 Microsoft Excel, 269
 opening, 57, 113, 268
ALLOWXMD system option, 332
ampersand (&), 117
analysis of variance (ANOVA), 181–183
Analysis Services, 246
Analysis Tools, 263
analytics
 ANOVA and regression, 181–184
 assumptions, 174
 categorical data analysis, 175–178
 confidence interval, 173–174

- analytics (*continued*)
 - correlation analysis, 178–181
 - data mining, 185, 196–197
 - forecasting, 185, 193–195
 - multivariate analysis, 185, 191–193
 - overview of, 13–15, 171
 - p-values, 173, 179
 - quality control methods, 185, 188–190
 - resources on, 354
 - survival analysis, 185, 186–187
 - variability, 172
 - variance, 174
 - Analytics Platform, 300
 - Analyze⇔ANOVA, 182
 - Analyze⇔Capability Analysis⇔
 - Histograms, 189
 - Analyze⇔Control Charts, 190
 - Analyze⇔Multivariate⇔Canonical
 - Correlation, 180
 - Analyze⇔Multivariate⇔Cluster Analysis/
 - Discriminant Analysis, 192
 - Analyze⇔Multivariate⇔Correlations, 179
 - Analyze⇔Pareto Chart, 190
 - Analyze⇔Regression, 183
 - Analyze⇔Survival Analysis, 186
 - Analyze⇔Time Series⇔ARIMA Modeling
 - and Forecasting, 195
 - Analyze⇔Time Series⇔Basic Forecasting,
 - 74, 195
 - Analyze⇔Time Series⇔Create Time
 - Series Data, 195
 - Analyze⇔Time Series⇔Prepare Time
 - Series Data, 195
 - Analyze⇔Time Series⇔Regression
 - Analysis of Panel Data, 195
 - Analyze⇔Time Series⇔Regression
 - Analysis with Autoregressive
 - Errors, 195
 - ANOVA (analysis of variance), 181–183
 - Append Table task, 118
 - appending tables, 118–119
 - application settings, 22
 - Apply to Other Elements dialog box, 208
 - area plot, 158
 - ARIMA Modeling and Forecasting
 - task, 195
 - arranging SAS Report output, 231
 - arrow icons, 269
 - ascending order sort, 106
 - assembling report from various tasks
 - HTML Document Builder, 229–230
 - from SAS Report output, 231–233
 - selecting ingredients for, 228–229
 - Assign Library Wizard, 95–97, 307–311
 - assigning columns to use in report,
 - 209–210
 - association, 177
 - assumptions, 174
 - auto-join feature, 54
 - average sale amount and total units sold
 - by subcategory bubble plot, 159
- B •**
- Back button, 249
 - baking in process for saving files,
 - 223–226
 - bar chart, 153–154
 - Bar Chart task
 - with assigned roles, 34
 - with context-sensitive help, 33
 - running, 34–35
 - Basic Forecasting task, 73–77, 195
 - beer sales data set example, 74
 - bell-shaped curve, 121
 - BI Server, 261, 262
 - book, Web site for, 355
 - bookmarking, 256, 257
 - box and whisker plot, 72–73, 144
 - box plot
 - creating, 163–164, 165
 - description of, 159–160
 - Box Plot task, using with OLAP data, 255
 - Browse Available Fonts dialog box, 207

- bubble plot, 158, 159
- built-in styles, 204
- Business Intelligence, 136
- Business Intelligence SAS Users Group, 354
- business rules, integration of, 315
- C •
- calculated measure, 256, 257
- Candy Sales Summary data set example, 27, 31
- canonical correlation, 180
- Cartesian Product, 53
- categorical data analysis, 175–178
- Categorical Data Analysis, application of, 14
- categorical variable, 175
- cause, 157
- Change Slicer dialog box, 250
- changing input data source for task, 338–339
- channel, distributing information through, 227–228
- Characterize Data task, reporting features, 138, 143
- Characterize Data task wizard, 70–71
- chart footnotes, removing, 44
- charts. *See also* graphs
 - bar, 33–35
 - control, 190, 191
 - donut, 160
 - footnotes to, removing, 44
 - grouped pie, 154
 - horizontal bar, 153
 - Pareto, 190
 - pie, 154, 155
 - radar, 161–162
 - resources on, 354
 - stacked pie, 154
- Choose Location dialog box, 274
- clicking and dragging, 232
- Client tier, 302
- closing. *See also* opening
 - Filter and Query task, 31
 - SAS Enterprise Guide, 45
- Cluster Analysis task, 192
- collapsing data in OLAP, 247
- Column Options pane (Import Data dialog box), 86
- columns of data. *See also* computed columns
 - assigning, to use in report, 209–210
 - recoding, 106
 - selecting, 105
 - splitting, 120
 - stacking, 120
- comma-delimited file, 83
- Compare Data task, 121
- comparing data, 121
- complex join, 101
- composite report, creating, 41–46
- Compress All Files check box (Send window), 225
- computed columns
 - creating, 57–60, 105
 - formatting, 60–64
- Computed Columns dialog box, 112
- conditional formatting, 257, 258
- confidence interval, 173–174
- configuring
 - e-mail system, 224
 - logging activity for servers, 351
- contingency table, 176–177
- contour plot, 160–161
- control chart, 190, 191
- controlled experiment, 179
- conversion of data, 83
- copying data
 - from Excel to SAS server, 270–271
 - SAS Enterprise Guide, 306
 - from server to server, 339
 - size of source, 83
- correlation analysis, 178–181

- correlation of sales amount
 - with discount given
 - scatter plot, 157
 - Correlation task, 179
 - Create Format task, 119
 - Create New SAS Stored Process Wizard
 - Execution Environment window, 237
 - General Information window, 235
 - Librefs window, 238
 - Metadata Location window, 237
 - Output Options and Input Streams window, 239, 240
 - overview of, 235
 - Parameters window, 238–239
 - SAS Code window, 236
 - Summary window, 240
 - Create Time Series Data task, 195
 - cross-sectional analysis, 195
 - cross-tabular summary, 176–177
 - cross-tabulation report, 292
 - Ctrl+click (select multiple items), 51
 - Ctrl+M (Maximize Workspace), 35, 337
 - cube
 - accessing, 246
 - description of, 244
 - example of, 245
 - Cube Explorer, 253–254
 - Cube View Manager, 246, 247
 - Custom Calculation, 257
 - custom task, developing, 340
 - customizing
 - SAS Enterprise Guide interface, 22
 - styles, 205–208
- **D** •
- data. *See also* accessing data; copying data; data management; data warehousing; summarizing data
 - conversion of, 83
 - expanding in OLAP, 247, 251, 252
 - filtering, 27–32, 245, 249–250, 251
 - historical, and forecasting, 194
 - joining, 50–56
 - reducing volume of, 122–123
 - from SAS server, opening directly into
 - Excel, 263
 - scoring, 196–197
 - storing, 82, 244
 - subsetting, 140
 - temporary, 220
 - transforming, 178, 221–222
 - Web Report Studio, 288–289
 - data filter for report, selecting, 286
 - data grid view, disabling automatic
 - opening of, 340–341
 - Data Integration Server, 12
 - data items for report, selecting, 285
 - data listing, 139
 - data management
 - from add-in, 265–266
 - appending tables, 118–119
 - comparing data, 121
 - data set, opening, 25–27
 - deleting data sets and formats, 122
 - editing data table values, 118
 - example using common tasks, 122–127
 - Excel, Access, and text files, 82–83
 - filtering data, 27–32, 245, 249–250, 251
 - formats, creating, 119
 - options for, 99–100
 - overview of, 24–25
 - ranking variables, 121
 - selecting random sample of data, 120
 - sorting data, 119
 - splitting columns, 120
 - stacking columns, 120
 - standardizing data, 121
 - summarizing data set attributes, 121
 - transposing data, 119–120, 123–126
 - data mart, 318–319
 - data mining
 - application of, 14
 - description of, 185, 196
 - Model Scoring task, 196–197

- data preparation
 - for forecasting, 195
 - for line plot, 164–166
 - overview of, 10–12
- data set
 - deleting, 122
 - description of, 93
 - indexed, 93
 - opening, 25–27
 - renaming, 56
 - summarizing attributes, 121
- Data Set Attributes task, 121
- data source, defining, 306
- data storage, 82
- data summaries and reporting, 12–13
- data table values, editing, 118
- Data tier, 303
- Data Tools, 263
- Data Value Properties dialog box, 38, 213
- data warehousing
 - characteristics of, 315–316
 - data mart compared to, 318–319
 - need for, 313–314
 - overview of, 313
 - principles of, 316–318
 - uses of, 314–315
- Data⇨Append Table, 118
- database engine, 308
- database user ID, 309
- Data⇨Filter and Query, 28
- Data⇨Read Only, 118
- Data⇨Sort Data, 119
- Data⇨Wizards⇨Summary Tables, 146
- date, storage of, 165
- DDE (Dynamic Data Exchange), 332–333
- decile, 121
- default view of SAS Enterprise Guide interface, 21
- defining
 - data source, 306
 - library, 95
- Delete Data Sets and Formats task, 122
- dendrogram, 192
- dependent variable, 157
- deployment variable, 300
- descending order sort, 106
- Describe⇨Characterize Data, 70
- Describe⇨Distribution Analysis, 175
- Describe⇨List Data, 139
- Describe⇨Summary Statistics, 72
- Describe⇨Summary Tables, 36
- Describe⇨Wizards⇨Summary Statistics, 144
- designing report, 232
- destination type, 200
- developing custom task, 340
- diagnosing data access issues, 305–311
- dichotomous variables, 177
- differences, test for, 177
- dimension, 244
- dimension table, 55, 317
- disabling
 - administrative capabilities of SAS Enterprise Guide Explorer, 345–346
 - automatic opening of data grid view, 340–341
- Discriminant Analysis task, 192
- distributed computing
 - metadata, 303–304
 - overview of, 301–302
 - tiers, 302–303
- distributing information through channel, 227–228
- Distribution Analysis task, 66, 175
- DM Review (online magazine), 354
- Document Builder window, 230
- donut chart, 160
- Download SAS Data task, 339
- dragging and dropping, 232
- drilling down and up in OLAP, 246–247, 251, 252, 258
- Dynamic Data Exchange (DDE), 332–333
- dynamic report, 41

• E •

- Edit Filter dialog box, 30
- Edit Parameter Definition dialog box, 115, 116
- Edit Report Contents dialog box
 - with charts and summary table, 43
 - new report, creating, 231
 - Report Editor, 137, 138
 - summary tables, 42
- editing data table values, 118
- effect, 157
- EGDefault style, 201
 - .egp file extension, 219
- e-mail system, configuring, 224
- e-mailing report automatically, 224–226
- enabling formatting in wizard, 148–149
- ENDSAS statement, 334
- engine
 - selecting for library, 308
 - XML, 94
- Enterprise BI Server, 261, 262
- Enterprise Data Integration Server, 316
- Enterprise Guide. *See also* Filter and Query task
 - accessing data, 82–93
 - Basic Forecasting task, 73–77
 - capabilities of, 20
 - changing on-screen view, 22–24
 - charting capabilities, 33–35
 - closing, 45
 - copying data, 306
 - data access and management options, 24–32
 - data management, 12
 - development of, 19
 - documentation, 353
 - Expression Builder, 105
 - importing files, 83
 - libraries, 48–49
 - productivity, 322
 - reporting features, 36–46, 129–131
 - Sample Data directory, 107
 - SAS Tasks, 28
 - as Six-Minute Abs of SAS, 47
 - storing data, 82
 - summarizing data, options for, 64–69
 - Summary Statistics task, 70–73
 - Undo Apply button, 208
 - using first time, 20–22
 - using to run SAS programs, 219–220
 - versions of, 20
- Enterprise Guide Explorer
 - disabling administrative capabilities of, 345–346
 - managing logins from, 344–345
- Enterprise Miner, 196
- ESRI ArcGIS software, 251, 253
- Excel (Microsoft)
 - data management, 82–83
 - exporting data to, 293–294
 - exporting results to, 221–223
 - importing workbook from, 84–87
 - opening data from SAS server directly into, 263
 - opening data with add-in, 266–269
 - pivot table, 271–272
 - SAS menu in, 263–264
 - SAS toolbars in, 262–263
 - spreadsheet hell, 275–276
 - transferring data to SAS server, 270–271
- exception rule, 215
- Exchange E-Mail, 92
- Execution Environment window (Create New SAS Stored Procedure Wizard), 237
- expanding data in OLAP, 247, 251, 252
- explicit link, building, 323–324
- Export *filename* To window, 221
- EXPORT procedure, 222
- exporting
 - baking in process for saving file before, 223–226
 - data to Microsoft Excel, 293–294

- HTML format, 135
 - results, 221–223
 - SAS Report format, 136
 - Expression Builder, 105
 - external styles, 205
- **F** ●
- F3 (submit program for processing), 337
 - F4 (process flow view), 337
 - fact table, 55, 317
 - fair, meaning of, 172
 - features
 - analytics, 13–15
 - data preparation, 10–12
 - data summaries and reporting, 12–13
 - file output type, changing, 130–131
 - file-based engine, 308
 - File⇒Exit, 45
 - File⇒Export, 221
 - File⇒Import Data, 84
 - File⇒Manage Logins, 345
 - File⇒New⇒Report, 231
 - File⇒Open⇒Data, 25, 310
 - File⇒Open⇒ODBC, 89
 - File⇒Open⇒OLAP Cube, 246
 - File⇒Open⇒Other, 92
 - File⇒Open⇒SAS Servers, 95
 - File⇒Print Preview, 44, 45
 - File⇒Publish to Channels, 227
 - File⇒Save Project As, 44–45
 - File⇒Send To⇒E-Mail Recipient as a Step in Project, 224
 - Filter and Query task
 - Add Tables button, 51, 107–108
 - add-in, 272
 - closing, 31
 - computed columns, creating, 57–60, 105
 - data management, 100–101
 - Data menu, 65
 - filtering data, 27–32
 - filtering table data, 104
 - formatting computed columns, 60–64
 - joining table data, 101–104
 - listing three tables, 110
 - parameterizing, 106–117
 - recoding columns, 106
 - selecting specific columns of data, 105
 - sorting data, 106
 - uses of, 49–50
 - with variables selected, 55
 - Filter and Query task dialog box
 - opening, 28, 29
 - Select Data space, 28, 29
 - Filter Data tab (main task window), 104
 - filtering data
 - with Filter and Query task, 27–32
 - OLAP, 245, 249–250, 251
 - filtering table data, 104
 - flexibility, 10
 - fonts and HTML, 209
 - footnotes to chart, removing, 44
 - forcing task to generate different output than normal, 130
 - Forecast Server, 273, 300
 - Forecast Stored Process dialog box, 277
 - forecasting
 - application of, 14
 - Basic Forecasting task, 73–77, 195
 - complexity of, 73
 - description of, 185, 193–194
 - preparing data for, 195
 - foreign key, 317
 - format, deleting, 122
 - format mask, creating, 119
 - FORMAT procedure, 215
 - Formats dialog box, 62–63, 113
 - formatting. *See also* formatting report
 - computed columns, 60–64
 - conditional, 257
 - enabling in wizard, 148–149
 - sales report, 141–142

formatting report

 custom styles, 205–208

 graph styles, 202–203

 overview of, 199

 styles, 200, 201–202

 tabular report, 209–215

full outer join, 103–104

• G •

General Information window (Create New SAS Stored Procedure Wizard), 235

Generalized Linear Models, 183

geographic data in map graph, 163, 251

Get Values button (Values selection dialog box), 30

Goodnight, Jim (founder of SAS Institute), 2, 9, 19

graph styles, 202–203

Graph⇒Box Plot, 164

graphical summary, creating, 116–117

Graph⇒Line Plot, 167

graphs

 adding to summary table report, 41–46

 area plots, 158

 bar charts, 153–154

 box and whisker plots, 72–73, 144

 box plots, 159–160, 163–164, 165

 bubble plots, 158, 159

 contour plots, 160–161

 conveying message with, 151–152

 creating, 163–168

 donut charts, 160

 hi-lo or hi-lo-close plots, 159

 histograms, 144, 188–189

 in HTML format, 135

 line plots, 154, 155–156, 164–168

 map graphs, 162, 163, 250–253

 OLAP Analyzer, 250–253

 overview of, 151

 pie charts, 154, 155

 radar charts, 161–162

 resources on, 354

 scatter plots, 157

 shown with table, 252

 summary table compared to, 152

 3-D effect for, 152

 Web Report Studio, 290

Graph⇒Wizards⇒Bar Chart, 116

gross sales by region

 area plot, 158

 line plot, 155, 168

 line plot adjusted to eliminate scaling effect, 156

group breaks for report, specifying, 286

grouped pie charts, 154

• H •

handle, 232

Header & Footer dialog box, Titles & Footnotes tab, 44

Heading Properties for ALL dialog box, 214

Heading Properties for Subcategory dialog box, 39

Heading Properties for Sum dialog box, 212

headless, 333

Help option (SAS menu), 263

Help⇒About SAS Enterprise Guide, 301

Help⇒SAS Enterprise Guide Help, 92

High Performance Forecasting, application of, 15

hi-lo or hi-lo-close plot, 159

histogram

 description of, 144

 as quality control method, 188–189

historical data and forecasting, 194

history of SAS software, 9

horizontal bar chart, 153

HTML Document Builder, 135, 229–230

HTML (HyperText Markup Language) description of, 130

 ODS, 200, 202

HTML (HyperText Markup Language)
 report
 description of, 134–135
 fonts, 209
 using for mix report, 229

● I ●

IBM z/OS, 300, 344
 image formats, 203
 Impact Analysis data, 281
 implicit pass-through, 347–348
 implicit relationship, 323
 Import Data dialog box
 Column Options pane, 86
 Region to Import pane, 85
 importing
 Access database with ODBC, 89
 Access database with OLE DB, 92
 Excel workbook, 84–87
 files, 83
 independent variable, 157
 indexed data set, 93
 Information Delivery Portal, 16, 227–228
 information map, 284, 346–347
 Information Map Studio, 17
 Inmon, Bill (founder of data
 warehousing), 315–316
 inner join, 102
 input data source for task, changing,
 338–339
 installation, specifications and ease of,
 299–300
 interaction
 predictive variables, 180
 Web Report Studio, 289
 interactive map, 292
 interface for SAS Enterprise Guide
 customizing, 22–24
 default view, 21
 reverting to default layout, 24
 IT professional, 17
 iteration, 326

● J ●

Java graph format, 203
 joining
 table data, 101–104
 three sample tables, 107–114
 joining data
 from multiple tables, 51–56
 simple two-table join, 50

● K ●

key, 101
 keyboard shortcuts
 Ctrl+click (select multiple items), 51
 Ctrl+M (Maximize Workspace), 35, 337
 F3 (submit program for
 processing), 337
 F4 (process flow view), 337
 Shift+click (select contiguous block), 51
 killing SAS process, 349
 Kirk, Herb (executive), 9

● L ●

layout of report, 232
 Learning Edition, 20, 302
 left join, 102–103
 %LET statement, 329
 levels within dimension, 244
 library
 creating for project, 95–97, 306–311
 defining, 95
 description of, 48–49
 link from task to first reference of,
 creating, 311
 SASUSER, 48, 343–344
 temporary data, 220
 updating Process flow to assign, 98
 WORK, 48, 220
 library engine, 308
 Library Wizard dialog boxes, 95–96, 97

- Librefs window (Create New SAS Stored Procedure Wizard), 238
 - Life Tables task, 186–187
 - line plot
 - creating, 164–168
 - description of, 154, 155–156
 - Linear Models, 182
 - Linear Models dialog box, 273
 - Linear Regression, 183, 184
 - link
 - from data table to SAS program, building, 323–324
 - from task to first reference of library, creating, 311
 - Linux, 300
 - List Data task
 - Describe menu, 66
 - reporting features, 138, 139–142
 - listing report, 215–216. *See also* plain text
 - local-local setup, 300–301
 - location for stored process, specifying, 236–237
 - Login Manager window, 345
 - login, managing, 344–345
 - Logistic Regression, 183
 - lognormal distribution, 175, 176
- M •**
- macro variable, 117
 - main task window
 - Filter Data tab, 104
 - Parameters button, 107
 - Select Data tab, 105
 - Management Console, 17, 303
 - managing data
 - from add-in, 265–266
 - appending tables, 118–119
 - comparing data, 121
 - data set, opening, 25–27
 - deleting data sets and formats, 122
 - editing data table values, 118
 - example using common tasks, 122–127
 - Excel, Access, and text files, 82–83
 - filtering data, 27–32, 245, 249–250, 251
 - formats, creating, 119
 - options for, 99–100
 - overview of, 24–25
 - ranking variables, 121
 - selecting random sample of data, 120
 - sorting data, 119
 - splitting columns, 120
 - stacking columns, 120
 - standardizing data, 121
 - summarizing data set attributes, 121
 - transposing data, 119–120
 - managing login, 344–345
 - map graph
 - description of, 162, 163
 - OLAP Analyzer, 250–253
 - Maximize Workspace toolbar icon, 35, 337
 - MDX editor, 257, 258–259
 - MDX (MultiDimensional Expression), 258
 - Mean Individual Measurement chart, 190, 191
 - mean plots of strength by type, 274–275
 - mean sales by region line plot, 168
 - measure, 244
 - member isolation, 248
 - member property, 258
 - message, conveying with graph, 151–152
 - metadata configuration, 304
 - Metadata Location window (Create New SAS Stored Procedure Wizard), 237
 - Metadata Server, 17, 303–304
 - Metadata Server log, 350
 - metadata, synchronizing with reality, 346
 - Metadata tier, 302
 - METALIB procedure, 346
 - Microsoft Access
 - data management, 82–83
 - importing database from, with ODBC, 89–91
 - importing database from, with OLE DB, 92

- Microsoft Excel
- data management, 82–83
 - exporting data to, 293–294
 - exporting results to, 221–223
 - importing workbook from, 84–87
 - opening data from SAS server directly into, 263
 - opening data with add-in, 266–269
 - pivot table, 271–272
 - SAS menu in, 263–264
 - SAS toolbars in, 262–263
 - spreadsheet hell, 275–276
 - transferring data to SAS server, 270–271
- Microsoft Office Add-In
- accessing and managing data, 266–270
 - ad hoc analysis, 270–275
 - information map, 346–347
 - integration features, 265–266
 - Microsoft Excel example, 262–264
 - Office versions, 265
 - Option dialog box, 264–265
 - overview of, 15–16, 261–262
 - refreshing results, 279–281
 - sharing work, 281–282
 - star schema, 318
 - stored processes, 275–279
- Microsoft PowerPoint
- add-in, 265
 - output of SAS Tasks, 275
 - stored processes, 277, 278
- Microsoft Windows, 300
- Microsoft Word
- add-in, 265
 - output of SAS Tasks, 275
 - stored processes, 277, 279
- mix report
- HTML Document Builder, 229–230
 - from SAS Report output, 231–233
 - selecting ingredients for, 228–229
- Mixed Models, 14, 182
- Model Scoring task, 196–197
- Modify Data Source dialog box, 267, 268, 272
- Modify Join dialog box, 110
- Modify option (SAS menu), 263
- Modify Repository window, 304
- MultiDimensional Expression (MDX), 258
- multiplier symbol (*), 58
- multivariate analysis
- cluster and discriminant analyses, 192–193
 - description of, 185, 192
 - principal component analysis, 192
- My Styles, 205
- **N** ●
- naming. *See also* renaming
- library, 307
 - stored process, 236
- New Worksheet button (Choose Location dialog box), 274
- “The New Yankee Workshop” (TV show), 322
- New⇄Build Expression, 57
- nominal variable, 175
- Nonlinear Regression, 183
- Nonparametric ANOVA, 182
- normal distribution, 121, 175
- ntile, 121
- numeric variables, summarizing specific, 71–73
- **O** ●
- Object Linking and Embedding for Databases (OLE DB), 88, 92
- object spawner log, 350
- ODBC Microsoft Access Setup dialog box, 90
- ODBC (Open Database Connectivity), 88–91
- ODS (Output Delivery System), 200, 204

- OLAP Cube Studio, 244
 - OLAP. *See* On-Line Analytic Processing
 - OLAP Server, 244
 - OLAP server, 94
 - OLE DB (Object Linking and Embedding for Databases), 88, 92
 - One Way ANOVA, 182, 183
 - One Way Frequencies task (Describe menu), 68
 - On-Line Analytic Processing (OLAP)
 - bookmarking, 257
 - calculated measures, 257
 - conditional formatting, 258
 - data stored in, 244
 - description of, 15, 16, 243
 - drilling down and up, 246–247, 258
 - features of, 245, 256–259
 - filtering data, 249–250, 251
 - graphs and maps, 250–253
 - MDX editor, 258–259
 - member isolation, 248
 - member properties, 258
 - percentages, 253–254
 - speed of, 245, 271–272
 - table interaction, 246
 - using tasks with, 255–256
 - variance, 256
 - Open Data dialog box
 - importing, 84
 - joining, 51, 52
 - Open Data Source dialog box, 266–267
 - Open Database Connectivity (ODBC), 88–91
 - Open dialog box, 25, 26
 - Open From SAS Servers dialog box, 95
 - Open into PivotTable dialog box, 271
 - Open Tables dialog box
 - importing Access database with ODBC, 91
 - importing Excel workbook, 84–85
 - opening. *See also* closing
 - Advanced Expression Editor window, 57, 113, 268
 - bookmark, 257
 - data from SAS server directly into Excel, 263
 - data set, 25–27
 - data with add-in, 266–269
 - Filter and Query task dialog box, 28, 29
 - multiple sessions, 338
 - project, 46
 - report, 291
 - Options dialog box (Add-In for Microsoft Office), 264–265
 - Options option (SAS menu), 263
 - ordered list, creating, 324–326
 - Ordered List window, 325
 - ordinal variable, 175
 - outlier, 72
 - output data set, renaming, 56
 - Output Delivery System (ODS), 200, 204
 - Output Options and Input Streams window (Create New SAS Stored Procedure Wizard), 239, 240
 - output type, changing, 130–131
- *p* ●
- pane, pinning and unpinning, 24
 - parameterizing Query filter
 - multi-part example Part I, 107–114
 - multi-part example Part II, 114–116
 - multi-part example Part III, 116–117
 - overview of, 106–107
 - Parameters button (main task window), 107
 - Parameters window (Create New SAS Stored Procedure Wizard), 238–239
 - Pareto chart, 190, 191
 - path-based engine, 308

- PC SAS, 20
 - PDF (Portable Document File)
 - converting Web page to before printing, 293
 - description of, 130
 - ODS, 200
 - PDF (Portable Document File) report, 131–133
 - Pearson correlation, 179–180
 - percentages, working with, 253–254
 - performance and data warehousing, 315
 - Performance Warning dialog box, 89
 - petabyte, 318
 - pie chart, 154, 155
 - pinning pane, 24
 - pivot table, 271–272
 - plain text
 - advantages of, 215–216
 - description of, 130
 - example of, 131
 - Portable Document File (PDF)
 - converting Web page to before printing, 293
 - description of, 130
 - ODS, 200
 - Portable Document File (PDF) report, 131–133
 - PowerPoint (Microsoft)
 - add-in, 265
 - output of SAS Tasks, 275
 - stored processes, 277, 278
 - predictive variable, 194
 - Prepare Time Series Data tasks, 195
 - Preview window, Results tab, 87
 - Principal Components task, 192
 - Print Preview mode, 44, 45
 - PRINT procedure, 215
 - printer style, 202
 - printing and Web Report Studio, 293
 - probability plot, 190
 - PROC EXPORT procedure, 222
 - Process Explorer tool (Sysinternals), 349–350
 - process flow view, 32, 322–323
 - product category summary, creating, 144
 - product sales ranking by year report, 127
 - productivity, 322
 - programmer, 321–322
 - programming language, 2
 - project. *See also* project file
 - creating library for, 95–97, 306–311
 - opening, 46
 - scheduling, 341
 - Project Designer toolbar button, 32
 - Project Explorer, 32
 - project file. *See also* project
 - baking in process for saving files, 223–226
 - description of, 219
 - ordered list, creating, 324–326
 - organizing work into, 322–323
 - process flow view, 322–323
 - relationships in, 322–324
 - temporary data, 220
 - project log, 326–327, 339
 - project parameters, 329–332
 - prompted report, 239
 - Properties dialog box, 59–60, 112
 - Proportional Hazards task, 186–187
 - Publish window, 227, 281, 282
 - publishing report, 348
 - p-value, 173, 179
- *Q* •
- Q-Q plot, 190
 - Quality Control, application of, 15
 - quality control methods
 - control charts, 190, 191
 - description of, 185, 188
 - histograms, 188–189
 - Pareto charts, 190, 191
 - Q-Q and probability plots, 190

quarterly sales summary data set
example, 64

Query Builder

implicit pass-through, 347–348
parameters, 331

query, parameterizing, using product
column, 114–116

quintile, 121

• R •

radar chart, 161–162

Random Sample task, 120, 122–123

Rank task

Data menu, 65
options, 125–126
transforming data, 178
variables, 121

ranking variables, 121

read-only library, 48

rearranging table layout in Tables and
Joins dialog box, 55

recipe, 229

recipient for e-mail, specifying, 226

recoding columns, 106

reducing volume of data, 122–123

Refresh and Refresh Multiple options
(SAS menu), 263

refreshing results, 279–281

Region to Import pane (Import Data
dialog box), 85

Regional Sales Summary composite
report example, 43

regional sales summary report
example, 40

regression analysis, 181–184

Regression Analysis of Panel Data
task, 195

Regression Analysis with Autoregressive
Errors task, 195

regression line, 157

relational database, 94

Relative Contribution Analysis, 257

removing chart footnotes, 44

renaming. *See also* naming

output data set, 56
variable, 56

report. *See also* mix report; report
formatting; reporting features;
reporting options

Adobe Acrobat, 131–133

assembling from various tasks, 228–233

assigning columns to use in, 209–210

composite, creating, 41–46

creating in Web Report Studio, 284–288

cross-tabulation, 292

data filter for, selecting, 286

data items for, selecting, 205

designing, 232

dynamic, 41

e-mailing automatically, 224–226

group breaks for, specifying, 286

HTML, 134–135, 209, 229

layout of, 232

listing, 215–216

opening in Web Report Studio, 291

PDF, 131–133

prompted, 239

publishing, 348

RTF, 133–134

scheduling, 294–295

securing, 293

summary, creating, 126–127

summary table, 36–46, 146–148

tabular, 209–215

Report Editor, 137–138

report formatting

custom styles, 205–208

graph styles, 202–203

overview of, 199

styles, 200, 201–202

tabular report, 209–215

REPORT procedure, 215

Report Wizard, 284–288

- reporting features
 - Characterize Data task, 138, 143
 - graph, adding to summary table report, 41–46
 - List Data task, 138, 139–142
 - overview of, 129–131
 - Summary Statistics task, 138, 143–144
 - summary table report, 36–40
 - Summary Tables task, 138, 145–149
 - reporting options
 - changing, 130–131
 - HTML format, 134–135
 - PDF, 131–133
 - plain text, 131
 - RTF, 133–134
 - SAS Report format, 136–138
 - Report⇒New Using Wizard, 284
 - Report⇒Open, 291
 - Reports dialog box, 276, 277
 - Report⇒Schedule, 294
 - resizing item, 232
 - reverting to default layout, 24
 - right join, 103
 - R-Square, 182
 - RTF (Rich Text Format)
 - description of, 130
 - ODS, 200
 - RTF (Rich Text Format) report, 133–134
 - running
 - SAS programs with SAS Enterprise Guide, 219–220
 - stored process, 241
 - subset of tasks in project in sequence, 324–326
- S ●
- sales
 - by region bar chart, 153
 - by store and hour of day contour plot, 161
 - by subcategory box plot, 160, 165
 - sales report listing, creating, 139–142
 - sales summary
 - ranked by year across products, 126
 - transposed by year, 125
 - Sall, John (executive), 9
 - Sample Data directory, 107
 - sansprinter style, 205
 - SAP BW, 246
 - SAS Analysis Tools, 263
 - SAS Analytics Platform, 300
 - SAS BI Server, 261, 262
 - SAS Business Intelligence, 136
 - SAS Code window (Create New SAS Stored Procedure Wizard), 236
 - SAS Data Integration Server, 12
 - SAS Data Tools, 263
 - SAS Enterprise BI Server, 261, 262
 - SAS Enterprise Data Integration Server, 316
 - SAS Enterprise Guide. *See also* Filter and Query task
 - accessing data, 82–93
 - Basic Forecasting task, 73–77
 - capabilities of, 20
 - changing on-screen view, 22–24
 - charting capabilities, 33–35
 - closing, 45
 - copying data, 306
 - data access and management options, 24–32
 - data management, 12
 - development of, 19
 - documentation, 353
 - Expression Builder, 105
 - importing files, 83
 - libraries, 48–49
 - productivity, 322
 - reporting features, 36–46, 129–131
 - Sample Data directory, 107
 - SAS Tasks, 28
 - storing data, 82
 - summarizing data, options for, 64–69
 - Summary Statistics task, 70–73

- SAS Enterprise Guide (*continued*)
 - Undo Apply button, 208
 - using first time, 20–22
 - using to run SAS programs, 219–220
 - versions of, 20
- SAS Enterprise Guide Explorer
 - disabling administrative capabilities of, 345–346
 - managing logins from, 344–345
- SAS Enterprise Miner, 196
- SAS Favorites option (SAS menu), 263
- SAS Forecast Server, 273, 300
- SAS Information Delivery Portal, 227–228
- SAS Institute Inc., 2
- SAS Learning Edition, 20, 302
- SAS Management Console, 303
- SAS menu, 263–264
- SAS Metadata Server, 303–304
- SAS Metadata Server log, 350
- SAS 9 deployment and RSASUSER system option, 344
- SAS object spawner log, 350
- SAS OLAP, 94
- SAS OLAP Cube Studio, 244
- SAS OLAP Server, 244
- SAS Report format
 - arranging output, 231–233
 - description of, 130, 136–138
 - ODS, 200
 - using for mix report, 229
- SAS server tier, 302
- SAS Tasks. *See also specific tasks*
 - overview of, 28, 327
 - using from add-in, 272–275
- SAS view, 93
- SAS workspace server log, 350
- SAS/ACCESS products, 306
- SAS/ACCESS to PC File Formats product module, 222
- SAS⇄Active Data⇄Copy to SAS Server, 270
- SAS/AF, 333–334
- SAS⇄Analyze Data, 273
- SAS⇄Analyze Data⇄ANOVA⇄Linear Models Task, 273
- SAS.EXE process, 349–350
- SAS⇄Modify, 279
- SAS⇄Open Data Source⇄Into PivotTables, 271
- SAS⇄Open Data Source⇄Into Worksheet, 266
- SAS⇄Properties, 280
- SAS⇄Refresh, 279
- SAS⇄Refresh Multiple, 280
- SAS⇄Reports, 276
- SAS⇄Tools⇄Publish, 281
- SAS⇄Tools⇄Server Connections, 264
- SASUSER library, 48, 343–344
- sasweb style, 202
- Save As dialog box, 44–45, 46
- saving file, baking in process for, 223–226
- Scalable Performance Data Engine (SPDE), 94
- scaling effect, 156
- scatter plot, 157
- Schedule Report dialog box, 294–295
- scheduling
 - project, 341
 - report, 294–295
- scoring data, 196–197
- screenshot, setting interface to look like, 22–24
- Seaside style, 202–203
- securing report, 293
- Select Analysis Variables and Statistics screen (Summary Tables Wizard), 147
- Select Classification Variables screen (Summary Tables Wizard), 147
- select contiguous block (Shift+click), 51
- Select Data Source dialog box, 89
- Select Data tab (main task window), 105

- selecting
 - columns of data, 105
 - ingredients for mix report, 228–229
 - multiple items, 51
 - random sample of data, 120
 - type of graph to use, 151
- Send window, 224–226
- server
 - configuring and turning on logging for, 351
 - selecting for library, 308
- server log, 350–351
- server tier, 302
- server-based data, accessing, 93–94
- sessions
 - catching and killing runaway, 349
 - opening multiple, 338
- setup
 - distributed computing, 301–304
 - local-local, 300–301
- sharing work, 281–282
- Shewhart chart, 190
- Shift+click (select contiguous block), 51
- shortcut keys
 - Ctrl+click (select multiple items), 51
 - Ctrl+M (Maximize Workspace), 35, 337
 - F3 (submit program for processing), 337
 - F4 (process flow view), 337
 - Shift+click (select contiguous block), 51
- simple join, 101
- size of data source, 81, 83, 88
- sizing item, 232
- Slicer tool (OLAP viewer), 249–250, 251
- slicing data, 245, 249–250, 251
- Sort Data task, 119
- sorting data, 106, 119
- SPDE (Scalable Performance Data Engine), 94
- Split Columns task, 120
- splitting columns, 120
- spreadsheet hell, 15
- Stack Columns task, 120
- stacked pie charts, 154
- stacking columns, 120
- standard pie chart, 154
- Standardize Data task, 121, 178
- standardizing data, 121
- star schema, 317–318
- statement, inserting within task, 327–328
- static image type, 203
- statistical significance, 173
- statistics, resources on, 354
- stored process
 - in add-in, 263, 275–279
 - creating, 235–240
 - example of, 234–235
 - overview of, 233–234
 - running, 241
- storing data
 - in OLAP, 244
 - SAS Enterprise Guide, 82
- strata, 186
- Style Editor screen, 206
- Style Manager screen, 205
- style template, 204
- styles
 - built-in, 204
 - customizing, 205–208
 - external, 205
 - graph, 202–203
 - My Styles, 205
 - report, 200, 201–202
- submitting subset of program, 340
- subsetting data, 140
- success stories, 18
- summarizing data
 - graphical summary, creating, 116–117
 - overview of, 12–13, 64–71
 - specific numeric variables, 71–73
- summarizing data set attributes, 121
- summary report, creating, 126–127

- Summary Statistics task
 - Describe menu, 66
 - reporting features, 138, 143–144
 - statement, inserting within task, 327–328
 - Task Roles pane, 72
 - using, 70–73
 - summary table, graph compared to, 152
 - summary table report
 - adding graph to, 41–46
 - creating, 36–40, 146–148
 - Summary Tables task
 - completed, 39
 - composite report, 41
 - reporting features, 138, 145–149
 - with roles assigned, 37
 - with table layout, 37
 - Summary window (Create New SAS Stored Procedure Wizard), 240
 - support Web site, 5
 - survival analysis, 14, 185
 - switching libraries, 95
 - synchronizing metadata with reality, 346
 - Sysinternals Process Explorer tool, 349–350
 - SYSTASK function, 332
- T •**
- t test, 182
 - Table Analysis task
 - contingency tables, 176–177
 - Describe menu, 68
 - statistics available from, 177
 - table data
 - filtering, 104
 - joining, 101–104
 - tables
 - appending, 118–119
 - contingency, 176–177
 - description of, 244
 - dimension/fact, 55, 317
 - pivot, 271–272
 - rearranging layout in Tables and Joins dialog box, 55
 - shown with graph, 252
 - Web Report Studio, 290
 - Tables and Joins dialog box
 - with joins added, 54
 - parameterizing example, 109
 - rearranging table layout in, 55
 - with tables joined, 109
 - tabular report, formatting, 209–215
 - TABULATE procedure, 209–215
 - task list, 21
 - Task Status pane, 21
 - task status window, 349
 - temporary data, 220
 - testing library, 309–310
 - text file
 - description of, 94
 - sample of, 132
 - viewing, 130
 - text mining, 15
 - 3-D effect for graph, 152
 - tier, 302–303
 - toggling toolbars, 22
 - toolbars
 - SAS, in Excel, 262–263
 - toggling, 22
 - Tools option (SAS menu), 263
 - Tools⇄Assign Library, 95, 307
 - Tools⇄Create HTML Document, 135, 229
 - Tools⇄Create Ordered List, 325
 - Tools⇄Options, 22
 - Tools⇄Options⇄Results General, 130, 201
 - Tools⇄Parameters (Macro Variable) Manager, 329
 - Tools⇄SAS Enterprise Guide Explorer, 345

Tools⇨Schedule Project, 341
 Tools⇨Style Manager, 205
 Top Customers Sales report, 292
 transferring Excel data to SAS server,
 270–271
 transforming data
 Standardize Data task, 178
 when exporting, 221–222
 Transpose Data task, 119–120, 123–126
 transposing data, 119–120, 123–126
 trend, 177
 turning on logging for servers, 351
 two-table join, 50
 two-way contingency table, 176–177

• U •

Undo Apply button (SAS Enterprise
 Guide), 208
 undo feature, 249
 UNIX, 300
 unpinning pane, 24
 Upload SAS Data task, 339
 usage permission, 293
 User Code window, 328
 user role, 293

• V •

Values selection dialog box (Get Values
 button), 30
 variability, 172
 variables
 dependent, 157
 dichotomous, 177
 independent, 157
 macro, 117
 nominal, 175
 numeric, 71–73
 ordinal, 175
 predictive, 194

ranking, 121
 renaming, 56
 types of, 175
 variance, 174, 256
 vertical (y) axis
 bar chart, 153
 dependent variable, 157
 line plot, 156
 viewing
 HTML file, 135
 PDF, 132
 process flow, 32
 products installed on server, 338
 project log, 339
 RTF file, 134
 text file, 130
 View⇨Project Log, 327, 339
 View⇨Task Status, 349
 View⇨Toolbars, 22
 volume of data, reducing, 122–123

• W •

warning message
 for data sources, 89
 when joining multiple tables, 53
 Web middle tier, 303
 Web Report Studio
 advanced report-editing interface,
 288–290
 description of, 16, 17, 283
 exporting data to Microsoft Excel,
 293–294
 opening report, 291
 printing, 293
 report, creating, 284–288
 report examples, 291–292
 scheduling reports, 294–295
 securing reports, 293
 star schema, 318

Web sites

for book, 355

resources, 354–355

SAS Enterprise Guide documentation, 353

SAS success stories, 18

SAS support, 5

support, 353

Welcome to SAS Enterprise Guide dialog
box, 23

%WINDOW statement, 334

Windows (Microsoft), 300

wizard, enabling formatting in, 148–149

“The Woodwright’s Shop”

(TV show), 322

Word (Microsoft)

add-in, 265

output of SAS Tasks, 275

stored processes, 277, 279

WordPad, 133

WORK library, 48, 220

workflow presentation panes, 21

workspace

customizing, 22–24

default, 21

reverting to default layout, 24


workspace server log, 350



x axis, 157

X statement, 332

XML engine, 94



y (vertical) axis

bar chart, 153

dependent variable, 157

line plot, 156

